

InceyWinceys Day Nursery

Sickness and Contagious Illness

At Incey Winceys Day Nursery and Preschool it is part of our commitment to ensure the well-being and health of all the children within our care. We therefore adhere to this policy to minimise and where possible prevent the spread of sickness and contagious illnesses, as well as dealing with children who have allergies.

Procedure for children with allergies

When parents start their children at the nursery they are asked if their child suffers from any known allergies. This is recorded on the registration form. If a child has an allergy it is clearly marked on their place mats, and on an allergy list which is clearly displayed for all staff to see. The kitchen is also alerted and if necessary, the chef will speak directly to the parents to find suitable alternative foods. We require written confirmation of this allergy and we require a health care plan to be written by a health visitor if ongoing medication such as 'Piriton' is required for the child prior to starting at nursery.

For a child with an allergy warranting an Epi Pen, the parents give consent for staff to administer the Epi Pen if necessary and we would access appropriate training.

No nuts or nut products are used within the nursery or preschool.

Parents must not bring nuts or nut products into the nursery for example for a party and staff are vigilant at checking ingredients on packets.

Procedures for children who are sick or infectious

If a child appears unwell during the day: has a temperature, sickness, diarrhoea or pains, particularly in the head or stomach, the manager or room leader calls the parents and informs them. They will be expected to be collected, and in the case of Covid 19 symptoms, the child will be isolated in a safe place away from other children until they are collected.

If we cannot contact the parent, staff use their discretion to administer an emergency dose of Calpol, as emergency consent is provided in the contractual paperwork. **Parents must report the use of Calpol or Nurofen within 4 hours of coming to nursery to prevent accidental overdose.**

Revised on 12th May 2023

InceyWinceys Day Nursery

If a child has a temperature, they are kept cool by removing top clothing, sponging their heads with lukewarm water and kept away from draughts.

In extreme cases of emergency, an ambulance will be called, and the child will be taken to the nearest hospital and the parent will be informed.

On occasion parents are asked to take their child to a doctor before returning them to nursery, to ensure that they are well and not infectious or contagious. The nursery reserves the right to refuse entry to a child who has a temperature, sickness or diarrhoea, or a contagious infection or disease.

Covid-19

Anyone with a high temperature, new and persistent cough or changes to sense of smell or taste will be immediately isolated and a call will be placed to inform their parents/carers they need to be collected. A PCR test must be taken and if it is positive there is a mandatory 10-day isolation period for the child and everyone they live with. If the test is negative the child can return to nursery as long as they are otherwise well.

Sickness / Diarrhoea

After 3 bouts of diarrhoea or 2 bouts of sickness a child will be sent home. We may reduce this if we are aware of a bug going round, staff will use their discretion.

After sickness or diarrhoea the parents are asked to keep children home for **48 hours** after the last bout.

We require the honesty of families to keep everyone safe and try to prevent the spread of this contagious illness.

Reporting of 'Notifiable Diseases

If a child or adult is diagnosed with suffering from a notifiable disease under the Public Health (infectious diseases) Regulations, the GP will report this to the Health Protection Agency.

When the setting is made aware of this, or is formally informed of a notifiable disease, the manager will inform OFSTED and act on any advice given by the Health Protection Agency.

Revised on 12th May 2023

InceyWinceys Day Nursery

HIV/ AIDS/ Hepatitis Procedure

HIV virus, like other viruses such as Hepatitis (A, B and C) are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults.

- Single use vinyl gloves are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit. Spillage is cleared using mild disinfectant solution and cloths are then disposed of with the clinical waste.
- Soiled clothing is rinsed and either bagged for parents to collect or laundered in the nursery premises.
- Tables and other furniture, furnishings or toys affected by blood, urine, faeces or vomit are cleaned using a disinfectant.

Nits and Head Lice

Nits and head lice are not an excludable condition, although in exceptional cases a parent may be asked to keep the child away until the infestation has cleared. On identifying cases of head lice, all parents are informed and asked to check their child's hair and treat as appropriate if they are found to have head lice.

Conjunctivitis

If the child develops symptoms of conjunctivitis during the day, the parent is called to request that a doctor's appointment is made, or drops are obtained from the pharmacy. The child should be treated with appropriate eye drops. The drops should be administered at least once at home prior to returning to nursery to ensure there are no problems with the medication.

Chickenpox, Measles, Mumps or Rubella

The child should be kept at home for 7 days from the appearance of the symptoms (rash, spots or swelling) and upon advice of a doctor is necessary.

Gastro-enteritis or food poisoning

The child should not return for at least 48 hours and by the advice of a doctor.

The following are infectious illnesses and parents should seek medical advice before the child returns:

Revised on 12th May 2023

InceyWinceys Day Nursery

- Streptococcal Infection
- Hepatitis A and B
- Scarlet Fever
- Impetigo
- Whooping Cough
- Glandular Fever
- Scabies
- Hand, Foot and Mouth Disease
- Tuberculosis (TB)
- Typhoid
- Slapped cheek/
fifth disease